

20-60 HORSEPOWER

20-25 HP	1979 - 81	45 HP	1966 - 84
30 HP	1966 - 82	50 HP	1982 - 94
35 HP	1966 - 91	55-60 HP❖❖	1966 - 84
40 HP	1992 - 94		

(SPLINED SHAFT)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Sta		
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
CR, HB, SB	10-3/8 R 10	3	48-819337A40	072014								
17-19' Bts. - AL, SK	10-3/8 R 11-1/2	3	48-819336A40	072131								
16-17' Bts. - AL, SK	10-3/8 R 12-1/2	3	48-819335A40	072132								
14-16' Bts. - AL SK	10-3/8 R 13-1/2	3	48-819334A4	072133								
14-16' Bts. - LL	10-3/8 R 14-1/2	3		072134								



40-75 HORSEPOWER

40, 50 HP	1995 - 98
70 HP	1991 - 95
75 HP	1996 - 98

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Sta		
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
19' and Up	12-1/2 R 8	3	48-42738A10	032141								
19' and Up	12-1/2 R 8	3		★031070								
17-19' Bts. - AL, SK	11-1/4 R 10	3	48-73132A40	031015			10-1/2 x 10	3	033088			
16-18' Bts. - AL, SK	12 R 10-1/2	3	48-42740A10	032142								
16-18' Bts. - AL, SK	12 R 10-1/2	3		★031071								
16-18' Bts. - AL, SK	10-7/8 R 11	3	48-85632A40	031053								
15-17' Bts. - AL, SK	10-3/4 R 12	3	48-816702A40	031056								
15-17' Bts. - AL, SK	10-5/8 R 12	3	48-73134A40	031016	48-79792A5	033001	10-1/2 x 12	3	033089			
14-17' Bts. - AL, SK	10-1/2 R 13	3	48-816704A40	031057			10-1/2 x 13	3	033090			10-1/8 x 13 3 395129
14-17' Bts. - AL, SK	10-3/8 R 13	3	48-73136A40	031017								
14-16' Bts. - LL	10-3/8 R 14	3	48-816706A40	031058								
14-16' Bts. - LL	10-1/4 R 14	3	48-73138A40	031018	48-76230A5	033028	10-1/2 x 14	3	033091			
13-15' Bts. - LL	10-1/8 R 15	3	48-73140A40	031019			10-1/2 x 15	3	033092			10-1/8 x 15 3 395129
Up to 15' Bts.	10 R 17	3	48-73144A40	031020								

70-135 HORSEPOWER

70-135 HP❖❖	1970-79
-------------------	---------

(18 SPLINES)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Sta		
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
16-17' Bts. - AL, SK	13-1/8 R 15	3	FP-389	072032								
14-16' Bts. - AL, SK	13-1/8 R 17	3	48-FP372	072033								
Light Runabouts - LL	13-1/8 R 19	3	FP-383	072034								

70-140 HORSEPOWER

70-140 HP❖	1977-89
------------------	---------

(15 SPLINES)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Sta		
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
17-19' Bts. - AL, SK	14 R 13	3	FPS501	072054								
16-17' Bts. - AL, SK	13-1/8 R 15	3	FPS519	072055								
16-17' Bts. - AL, SK	13-3/4 R 15	3										
14-16' Bts. - AL, SK	13-1/4 R 17	3	FPS623	072107	FP539	073003						
14-16' Bts. - LL	13 R 19	3	FPS625	072108	FP540	073004						
High Performance Racing	13 R 21	3	FPS526	072109								

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedle

❖ One piece lower unit ❖❖ Two piece lower unit ★ New Cupped Version

80 HORSEPOWER

80 HP❖❖1961 - 65

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM	Part No. Michigan	Stainless OEM	Part No. Michigan	Rapture Performance Dia. x Pitch	Blades RH	Stainless LH	Ballistic High Performance Dia. x Pitch	Blades RH
16-17' Bts. - AL, SK	12-1/8 R 14	3	FP-84	012033							

85-150 HORSEPOWER - SINGLE EXHAUST UNITS

85, 125 HP1988 - 89
 90, 120 HP1990 - 94
 150 HP1989 - 94

90 HP L-Drive1989 - 91
 120 HP L-Drive1989 - 91
 150 HP L-Drive1991

(15 SPLINES & THRU HUB EXHAUST)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM	Part No. Michigan	Stainless OEM	Part No. Michigan	Rapture Performance Dia. x Pitch	Blades RH	Stainless LH	Ballistic High Performance Dia. x Pitch	Blades RH
17-22' Bts. - AL, SK	13-1/2 R 15	3	48-FP669-1	*071035						13-5/8 x 15	3 335130
17-22' Bts. - AL, SK	13-1/2 R 15	3	48-FP692-1	072127							
17-22' Bts. - AL, SK	13-3/4 R 15	3			FP699	*073007					
16-20' Bts. - AL, SK	13-1/2 R 17	3	48-FP685-1	*071036						13-1/2 x 17	3 335131
16-20' Bts. - AL, SK	13-1/2 R 17	3	48-FP685-1	072128							
16-20' Bts. - AL, SK	13-1/4 R 17	3			FP668	*073008					
16-18' Bts. - AL, SK	13 R 19	3	48-FP686-1	*071037	FP695	*073009				13-3/8 x 19	3 335132
16-18' Bts. - AL, SK	13 R 19	3	48-FP686-1	072129							
Up to 16' - AL, SK	12-5/8 R 21	3	48-FP694	*071038						13-1/8 x 21	3 335133
Up to 16' - AL, SK	13 R 21	3			FP69	*073010					

90-150 HORSEPOWER - DUAL EXHAUST UNITS

90, 120 HP†1990 - 94
 90, 120 HP††1995 - 98
 150 HP†1989 - 94

90 HP L-Drive†1990 - 91
 120 HP L-Drive†1990 - 91
 150 HP L-Drive†1991

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM	Part No. Michigan	Stainless OEM	Part No. Michigan	Rapture Performance Dia. x Pitch	Blades RH	Stainless LH	Ballistic High Performance Dia. x Pitch	Blades RH
25' Bts. and Up - AL	14 R 11	3	48-77338A40	031054							
22' Bts. and Up - AL	14 R 13	3	48-77340A40	031055							
19-24' Bts. - AL, SK	13-3/4 R 15	3	48-77342A40	031041	48-16986A5	033016	13-1/4 x 15	3 033084		13-5/8 x 15	3 335130
17-20' Bts. - AL, SK	13-1/2 R 17	3	48-77344A40	031042	48-16988A5	033017	13-1/4 x 17	3 033085		13-1/2 x 17	3 335131
16-19' Bts. - AL, SK	13 R 19	3	48-77346A40	031043	48-16990A40	*033018	13-1/4 x 19	3 033086		13-3/8 x 19	3 335132
15-18' Bts. - AL, SK	12-3/4 R 21	3	48-77348A40	031044			13-1/4 x 21	3 033087		13-1/8 x 21	3 335133
15-18' Bts. - AL, SK	13 R 21	3			48-16992A40	*033019					
Up to 17' - LL	12-1/2 R 23	3	48-77350A40	031045							
High Performance									Ballistic 3 XL	13-1/2 x 22	3 * 335134
High Performance									Ballistic 3 XL	13-1/2 x 24	3 * 335135

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weed

- ❖ One piece lower unit. ❖❖ Two piece lower unit. * If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.
- † For dual exhaust units only & requires thrust washer 23-819057. †† For all units 95 thru current. Requires thrust washer 13191A1.
- ★ Requires special exhaust snout Part No. F744116 for proper fit.

Single vs. Dual Exhaust

